



NEW
CLOSED
DESIGN



HIGH QUALITY


- EVAPORATIVE **COOLING PAD**
- VENTILATION **FANS**
- PAD **FRAME**

Poulimex
WORLDWIDE COOLING EQUIPMENTS

www.poulimex.com

Poulimex Pad is produced with the highest quality pure cellulose Kraft paper in Europe, which is specially produced for this product. A high level of absorbency is provided by being saturated with a sufficient level of resin. Exceptional mechanical strength is achieved with chemicals of European origin, a formula formed with 15 years of experience and a superior production line.


Our technical staff, with high product production experience and knowledge, guarantees to offer the best product with the right raw material selection, the right raw material usage amount, the right process and the principle of honesty.



SPECIFICATION OF COOLING PAD



H(mm)	1000.1200.1500.1800.2000
W(mm)	600
D(mm)	100.150.200
h(mm)	7
a(°)	45,60,45
b(°)	45,30,15

- H: Height of pad
- W: Width of pad
- D: Thickness of pad
- h: Height of flute
- a & b: Angle of flute



a = 45 b = 45

Suitable for application conditions where a good balance between humidification efficiency and pressure drop is required.




Note: There is a risk of droplet falling at an air speed of more than 3 m/s.



PAD FRAME

- Easy installation
- Includes an internal water tank, no need for external water tank
- The floating system allows automatic water refilling when the water level falls
- Adjustable length and height due to its modular structure
- The pads can be easily installed and uninstalled due to the special lock system
- System includes a drain valve for cleaning at the end of cycle.
- PVC raw material is anti-UV loaded
- Completely rustproof system
- More durable than alternative metal frame cooling systems as it is completely made of plastic.



VENTILATION FANS

Poulimex fans are manufactured from magnelis which has superior resistance and designed specially for best ventilation. Through practical apparatus it is mounted to the roof construction and hanger system easily.

Areas of usage:

Ventilation, cooling, clear away the gas, smoke dust and odour from the all closed areas such as poultry farm, cattle farms, workshops, greenhouses and similar places.




HEADQUARTER

Alaaddinbey Mh. Ayfatma Cd. Sam 3 Plaza
No:11B/20 Nilüfer / BURSA / TÜRKİYE

FACTORY

Ovaazatlı Mahallesi Er Sokak No:2
Mustafakemalpaşa / BURSA / TÜRKİYE



Poulimex
TAVUKÇULUK TEKNOLOJİSİ SAN. VE TİC. A.Ş.

+90 224 441 12 42

+90 533 792 59 12

info@poulimex.com

www.poulimex.com